

IN THE CLAIMS

1-30. (Canceled)

31. (New) A method of updating a first version of a device driver installed on a computer of a user, wherein the device driver is configured to control an office device to which the computer is communicatively coupled, the method comprising:

receiving, from the office device, version information of a newest version of the device driver that is stored in a memory of the office device;

determining, based on the received version information, whether the first version of the device driver installed on the computer is different from the newest version of the device driver stored in said memory;

if the determining step determines that the first version is different from the newest version, inquiring whether the user wants to update the device driver on the computer with the newest version of the device driver; and

if the inquiring step determines that the user wants to update the device driver, obtaining the newest version of the device driver from the office device.

32. (New) The method of claim 31, wherein the inquiring step comprises:

displaying, on a display associated with the computer, a message regarding whether the user wants to update the device driver; and

receiving a response from the user, said response indicating whether the user wants to update the device driver with the newest version.

33. (New) The method of claim 31, wherein the obtaining step comprises:

establishing a connection to the office device;
receiving, from the office device, an installation file for the newest version of the device driver; and
storing said installation file in a temporary storage area associated with the computer.

34. (New) The method of claim 33, further comprising:
executing the stored installation file to install the newest version of the device driver on the computer.

35. (New) The method of claim 31, further comprising:
generating commands and associated data for controlling said office device, prior to said receiving step.

36. (New) A system for updating a first version of a device driver installed on a computer of a user, wherein the device driver is configured to control an office device to which the computer is communicatively coupled, the system comprising:
means for receiving, from the office device, version information of a newest version of the device driver stored in a memory of the office device;
means for determining, based on the received version information, whether the first version of the device driver installed on the computer is different from the newest version of the device driver stored in said memory;
if the means for determining determines that the first version is different from the newest version, means for inquiring whether the user wants to update the device driver on the computer with the newest version of the device driver; and

if the means for inquiring determines that the user wants to update the device driver,
means for obtaining the newest version of the device driver from the office device.

37. (New) The system of claim 36, wherein the means for inquiring comprises:
means for displaying, on a display associated with the computer, a message regarding
whether the user wants to update the device driver; and
means for receiving a response from the user, said response indicating whether the
user wants to update the device driver with the newest version.

38. (New) The system of claim 36, wherein the means for obtaining comprises:
means for establishing a connection to the office device;
means for receiving, from the office device, an installation file for the newest version
of the device driver; and
means for storing said installation file in a temporary storage area associated with the
computer.

39. (New) The system of claim 38, further comprising:
means for executing the stored installation file to install the newest version of the
device driver on the computer.

40. (New) The system of claim 36, further comprising:
means for generating commands and associated data for controlling said office device.

41. (New) A computer program product configured to store plural computer program instructions which, when executed by a computer, cause the computer to update a first version of a device driver installed on the computer, wherein the device driver is configured to control an office device to which the computer is communicatively coupled, by performing the steps of:

receiving, from the office device, version information of a newest version of the device driver stored in a memory of the office device;

determining, based on the received version information, whether the first version of the device driver installed on the computer is different from the newest version of the device driver stored in said memory;

if the determining step determines that the first version is different from the newest version, inquiring whether a user wants to update the device driver on the computer with the newest version of the device driver; and

if the inquiring step determines that the user wants to update the device driver, obtaining the newest version of the device driver from the office device.

42. (New) The computer program product of claim 41, wherein the inquiring step comprises:

displaying, on a display associated with the computer, a message regarding whether the user wants to update the device driver; and

receiving a response from the user, said response indicating whether the user wants to update the device driver with the newest version.

43. (New) The computer program product of claim 31, wherein the obtaining step comprises:

establishing a connection to the office device;
receiving, from the office device, an installation file for the newest version of the device driver; and
storing said installation file in a temporary storage area associated with the computer.

44. (New) The computer program product of claim 33, further comprising:
executing the stored installation file to install the newest version of the device driver on the computer.

45. (New) The computer program product of claim 31, further comprising:
generating commands and associated data for controlling said office device.

46. (New) A system, comprising:
an office device configured to store a newest version of a device driver stored in a memory, wherein the device driver is configured to control the office device;
a computer having a first version of the device driver installed thereon, the computer including a processor (1) configured to receive, from the office device, version information of the newest version of the device driver stored in a memory of the office device; (2) configured to determine, based on the received version information, whether the first version of the device driver installed on the computer is different from the newest version of the device driver stored in said memory; (3) if the first version is different from the newest version, configured to inquire whether a user wants to update the device driver on the

computer with the newest version of the device driver; and (4) if the user wants to update the device driver, configured to obtain the newest version of the device driver from the office device.